

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5712627".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:07
S2	2	"5251259".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:08
S3	2	"4445712".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:09
S4	2	"5233436".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:45
S5	5	"3827726".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:47
S6	2	"6784905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:50
S7	0	(authenticat\$5 verif\$9) with code with card with translucent and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:58
S8	7	(authenticat\$5 verif\$9) with code with translucent and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:58
S9	2790	(authenticat\$5 verif\$9) with code with card and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:58
S10	1	(authenticat\$5 verif\$9) with code with card with row with column and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:59
S11	12	(authenticat\$5 verif\$9) with code with card with matrix and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 12:59
S12	0	(authenticat\$5 verif\$9) with code with overlay with grid and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:04
S13	20	(authenticat\$5 verif\$9) with code with overlay and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:04
S14	0	secret with code with overlay and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:07

S15	10	secret with overlay and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:07
S16	11	secret with (cover\$5 overlay) with pattern and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:16
S17	11	S16 NOT S15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:16
S18	0	grid with block\$5 with secret and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:17
S19	63	grid with secret and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 13:17
S20	0	overlay with pattern with reveal with (code secret) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:09
S21	13	overlay with pattern with reveal and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:09
S22	27	overlay with pattern with reveal\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:09
S23	17	overlay with matrix with (secret code) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:11
S24	2	"5246375".PN. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:30
S25	266	overlay with row with column and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:33
S26	11	overlay with row with column with (code secret) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:33
S27	2	overlay with obscur\$5 with (code secret) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:45
S28	54	overlay with random\$4 with pattern and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:50
S29	0	random\$4 with grid with overlay with (code secret) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:54
S30	0	random\$4 with grid with overlay with (password) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:54
S31	17	random\$4 with overlay with (code secret password) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 15:55

S32	21289	(filter\$4 filtrat\$9) with (code secret) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:02
S33	554	(filter\$4 filtrat\$9) with (code secret) with (matrix grid) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:02
S34	0	(filter\$4 filtrat\$9) with (code secret) with (matrix grid) with overlay\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:03
S35	0	(filter\$4 filtrat\$9) with (code secret) with (matrix grid) with (opaque translucent) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:04
S36	2	(filter\$4 filtrat\$9) with (code secret) with (matrix grid) with card and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:04
S37	72	overlay with (password code secret) with pattern and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:05
S38	55	overlay with (password code secret) with (changing random variable) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:07
S39	186	(superimpos\$5 overlay\$5) with (password code secret) with (changing random variable) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:10
S40	14	(superimpos\$5 overlay\$5) with (password code secret) with authenticat\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:12
S41	63	(superimpos\$5 overlay\$5) with (password code secret) with card and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:17
S42	40	(overlay\$5) with (password code secret) with card and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:17
S43	910	(overlay\$5) with (matrix column row grid pattern) with display\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:25
S44	19	(overlay\$5) with (matrix column row grid pattern) with display\$5 with (code secret password PIN) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:26

S45	198	(overlay\$5) with (matrix column row grid pattern) with (code secret password PIN) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:27
S46	0	(overlay\$5) with (matrix column row grid pattern) WITH WEBSITE with (code secret password PIN) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:27
S47	0	(overlay\$5) with (matrix column row grid pattern) WITH WEBSITE and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:27
S48	2	(overlay\$5) with (matrix column row grid pattern) with webpage and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:27
S49	198	(overlay\$5) with (matrix column row grid pattern) with (code secret password pin)and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:27
S50	2348	(overlay\$5) with (code secret password pin)and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:33
S51	4	(overlay\$5) with (code secret password pin) with authenticat\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:33
S52	17	(overlay\$5) with (code secret password pin) with verif\$9 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:33
S53	316	(overlay\$5) with (code secret password pin).ab. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:36
S54	106	(overlay\$5) with (secret password pin).ab. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:36
S55	5	(overlay\$5) with (secret password).ab. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:36
S56	58	(overlay\$5) with (secret password) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:38
S57	0	(overlay\$5) with CAPTCHA and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:51
S58	0	(overlay\$5) with reverse with turing and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:51
S59	11	(overlay\$5) with code with (authenticat\$5 verifcat\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:52

S60	2	"20030015866".pn. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:53
S61	2	"20040193910".pn. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 16:54
S62	55	printed with code with verification with card and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:04
S63	0	printed with code with verification with card with (overlay superimpos\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:04
S64	0	code with verification with card with (overlay superimpos\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:05
S65	727	code with card with (column row matrix) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:30
S66	0	code with card with (column row matrix) with coordinate with extract\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:31
S67	1	code with card with (column row matrix) with coordinate and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:31
S68	0	sender with authenticat\$5 with code with (matrix grid) with (coordinate row column) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:45
S69	0	sender with authenticat\$5 with (matrix grid) with (coordinate row column) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:45
S70	5	code with authenticat\$5 with (matrix grid) with (coordinate row column) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:45
S71	1	smart with card with (matrix grid) with (coordinate row column) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:47
S72	10	credit with card with (matrix grid) with (coordinate row column) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:47
S73	22	authenticat\$5 with sender with (location pointer) with (message data) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:50

S74	0	authenticat\$5 with sender with (location pointer) and (anti\$phish\$6 phish\$6) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:59
S75	0	code with overlay\$5 and (anti\$phish\$6 phish\$6) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:59
S76	1	code with (authenticat\$5 verif\$9) and (anti\$phish\$6 phish\$6) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 17:59
S77	2	(authenticat\$5 verif\$9) with (sender provider server) and phish\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:03
S78	8	(authenticat\$5 verif\$9) with (sender provider server) with retriev\$5 with code with message and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:06
S79	903	card with magnetic with location and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:08
S80	5	card with magnetic with location with code with (authenticat\$5 verif\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:08
S82	6	card with magnetic with locat\$5 with code with (authenticat\$5 verif\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:10
S83	1	S82 not S80	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:11
S84	150	card with matrix with magnetic and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/30 18:12
S85	2	"5246375".pn. and credit with card	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 10:32
S86	49	card with URL with (authenticat\$5 verif\$9) and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 11:59
S87	19	sender with URL with (authenticat\$5 verif\$9) and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:09
S88	19	(spam phish\$9 anti\$spam\$5 anti\$phish\$5) with sender with (authenticat\$5 verif\$9) and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:14
S89	0	identify\$5 with phish\$9 with code and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:21

S90	0	identify\$5 with phish\$9 with overlay\$5 and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:22
S91	0	phish\$9 with overlay\$5 and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:22
S92	0	phish\$9 with code with (authentica\$5 verif\$9) and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:22
S93	1	phish\$9 and code with (authentica\$5 verif\$9) and @AD<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/31 12:22
S94	2	"5712627".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:51
S95	2	"5246375".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:28
S96	0	visual\$5 with filter\$5 with (code password) with random\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:41
S97	108	visual\$5 with (code password) with random\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:41
S98	1	(TRANSLUCENT OPAQUE) WITH visual\$5 with (code password) with random\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:41
S99	18	(TRANSLUCENT OPAQUE) WITH (code password) with random\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:41
S100	3	"7100049".pn. and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:43
S101	29	reveal\$5 with (code password) with (tranlucent opaque) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:46
S102	0	reveal\$5 with overlap\$5 with web with random\$5 and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:50
S103	6	reveal\$5 with overlap\$5 with web and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:50
S104	18	overlap\$5 with grid with (code password authentica\$5) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:51

S105	24	(reveal\$5 manifest\$5) with (coordinate (row with column)) with (code password pin) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:53
S106	26	(reveal\$5 manifest\$5) with (coordinate (row with column)) with (code password pin secret authenticat\$5 verif\$9) and @ad<="20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/08 14:53

1/13/09 12:54:41 PM

C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\10849402.wsp